

FICHA TECNICA

Sir Safety System S.p.A. unipersonale Sogg. a dir. e coord. di SIR Holding s.r.l. Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel. 075.8043737 - Fax 075.8043747 P.IVA e C.F. 03359340548 Viale Europa 74 20090 Cusago Milano Tel. 02.90394575 Fax 02.90394441

export@sirsafety.com www.sirsafety.com





Nombre: Conector oxan anclaje de dos cuerdas

7 OEX][c. FD2119

: 8 & % = GD " 5 BH=7 5 & 5 G 8 = GDC G=H=J C G 5 BH=7 5 & 5 G D9 HN@

8 YgWi]dWjOEb

 $T[\bullet\check{}\check{}^{\wedge}] \wedge (5) \wedge (4) + (4) \wedge (4)$

Ùã c^{ æÁ\$^^ |[& Á ` ^Áā[] ã ^Á |Á } * æ} &@ Á^] ^} æ] [Á ^|Á[[•```^c5} Á durante las maniobras.

Ò|Á| : [å * & [ÁæÁ ã [Á ã ^ fiæ [Á Á ^ æ ã æ [Á æ æ Á ^ •] ^ æ Á A Ä A ~ ; A (UE) 2016/425 y sus modificaciones posteriores.



Ôær^*[¦ðæ	Color	Tallas
III		Por encargo: U En stock:
Cantidad Caja	Certificaciones EN 362	Precauciones
1	LIV 302	
Destreza		Instrucciones de lavado y cuidado