

Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel.+39 075.8043737 - Fax +39 075.8048686 VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. +39 02.90394575 Fax +39 02.90394441

## **TECHNICAL SHEET**

export@sirsafety.com www.sirsafety.com









Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli

06081 Assisi - Perugia - Italy

Tel.+39 075.8043737 - Fax +39 075.8048686

VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. +39 02.90394575 Fax +39 02.90394441

export@sirsafety.com www.sirsafety.com





Name: SILEX heat-resistant glove Code: MA1625K1 **MA16 HEAT PROTECTION GLOVES** 

**Description** 

LENGTH: 38 cm THICKNESS: 4 mm WIRE TITLE: 18 G SKILL LEVEL: 5 MATERIAL: Nylon LINING: Thermal insulation

COATING: Liquid silicone SURFACE: Smooth

Thanks to its combination of mechanical, chemical and thermal protection and its suitability for contact with food, it is suitable for both the industrial sector and food production or Ho.Re.Ca in general.



Category

Ш

36

Colours

WHITE

Quantity/Carton

**EC** Standards

EN 388



Abrasion:4 Cut:4 Tear:3 Puncture:1 ISO Cutting:X

EN 407



Limited flame spread:4 Contact heat :2 Convective heat:4 Radiant heat :X Small splashes of molten metal :X Large quantities of molten metal :X

EN 511



Convective Cold Resistance:1 Contact Cold Resistance:1 Water Permeable - Water Resistant:1

**FOODSAFE** 



EN ISO 374-1



Sodium hydroxide, 40%:K Sulphuric Acid, 96%:L Formaldehyde, 37%:T Tipo:B

EN ISO 374-5



Protection: VIRUS

EN ISO 21420

Available Sizes In stock: 8 - 11

Important Information

Read the instructions carefully before use and refer to the levels of protections indicated.

Store in a cool, dry place away fromheat sources and away from light.

Before each use, carry out a visual check to ensure that the device is

in perfect condition, undamaged and clean, and replace it if it is not intact.

Clean with a soft brush and NEVER with alcohol, solvents, petrols etc.

Let it dry outdoors and NEVER on a direct heat source.

Storage and cleaning

Dexterity