



Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel. +39.075.8043737 - Fax +39.075.8043747 VAT Nr. IT03359340548 Viale Europa 74 20090 Cusago Milano Tel. 02.90394575 Fax 02.90394441 export@sirsafety.com www.sirsafety.com





Name: Handschuh POWER GRAB THERMO

Code: MA1711H0

A5%+'<5B8G7<I<9'?s@H9G7<IHN

## Beschreibung und Materialien

Pæ) å•&@@ Áæĕ•ÁD&\^|•dæX\Á\ãdÃO`{{ âà^•&@&@&`}\*ÈÁQ}}^}Á\*^>œ^\dÉ\ãA ^|æ•cã•&@{ÁUdæX\à>}å&@}È P[@\ÁSê|c^•&@c~ædc|¦ÉA\*čc^•ÁOā|\*^¦\*^>@A`}åÁ\^&@e)ã•&@ÁO^•cã\^ãÈ

Das Produkt wurde entwickelt und gefertigt, um der Verordnung (EU) 2016/425Á} åÁ] ê¢\'^\ †\ å^\'`\ \*^\ Á\ ø] \'^&@\ È



Kategorie

Ш

72

Farben

**ORANGE** 

Menge pro Karton

Bezugsnorm

EN 388



Abriebfestigkeit:1 Schnittfestigkeit:1 Ü^ā ^•æt\^āt4 Stichfestigkeit:1 Taglio ISO:X

EN 511



Ó^•œ̂} åð \^ã⁄A^\*^} Á[}ç^\ǽx^Ásê|c^KO Ó^•œ̂} åð \^ã⁄A^\*^} Ás[}æð ð ē|c^KO Yæ•^¦å\*¦&@ê••ð Æ¥Yæ•^¦åææ@¥ÝÁ

EN 407



Begrenzte Flammenausbreitung :X  $\dot{U}\&@c \acute{A}[ \dot{A}S[ \} cae c \hat{e} ] \{ ^ :2 \dot{U}\&@c \acute{A}[ \dot{A}[ ] c^{\alpha}c^{\alpha}) \mathring{A}' \hat{e} ] \{ ^ :X \dot{U}\&@c \acute{A}[ \dot{A}] da@' \} * • , \hat{e} ] \{ ^ :X \dot{U}\&@c \acute{A}[ \dot{A}] da@' \} * • , \hat{e} ] \{ ^ :X \dot{U}\&@c \acute{A}[ \dot{A}] da@' ] * • , \hat{e} ] \{ ^ :X \dot{U}\&@c \acute{A}[ \dot{A}] [ i ^ ) \mathring{A} ] * ^ } \mathring{A} ]$  geschmolzenen Metalls :X

Õ¦4i ^}

X[¦¦êca\*kAî

Wichtige Hinweise

Vor der Nutzung ist die Gebrauchsanweisung
•[ !\* -ê|æ Á ´ Á^• -^ } Á } å Æ Æ Æ \* \* \* \* à^ } ^ } Á

Leistungsstufen zu beachten.

Off Á ¾ ^ { Á > @^ } Æ [ &\ ^ } ^ } Á | Æ [ } Á

Y ê|{ ^~ ` ^||^ } Á } å Æ [ !Æ & Ø \* ^ \* & © c Å Æ ^ ! } È
Ø - @^ } Æ Æ [ !Æ & Ø \* ^ \* & Ø c Å Ø \* ^ \* & Ø c Å Ø \* | E
Ø - @ A Æ \* [ !Æ & Ø \* A Ø \*

Pflegehinweise

Fingerfertigkeit

3