



Sir Safety System S.p.A. Single-member company Wholly-owned subsidiary of Sir Holding Srl Via dei Fornaciai, 9 - Santa Maria degli Angeli 06081 Assisi - Perugia - Italy Tel.+39 075.8043737 - Fax +39 075.8048686 VAT Nr. IT 03359340548 Viale Europa 74 20090 Cusago Milano Tel. +39 02.90394575 Fax +39 02.90394441

export@sirsafety.com www.sirsafety.com





Name: MAXIMUM FIREWORKS SHOE Code: MB2317Z9 MB23 FOOTWEAR - MAXIMUM SERIES

Description

Ankle high shoe with protective flap closed with 2 Velcro flaps, padded at the top and shaped for a better fit. Featuring 2 quick release eyelets under the tongue. Equipped with a suede leather upper and 4-mm constant thickness composite midsole, featuring glass fibre toecap. SOLE: (PU/Rubber) Consisting of an inner part in wide cell polyurethane with high memory effect for enhanced cushioning and avoid shocks. The black/red outsole in nitrile rubber with deep grooves is resistant to hydrocarbons, and is non-slip in wet conditions. The red inserts with greater density and hardness give the sole anti-twist features, which make it suitable for gravelly, rocky or uneven environments.

insole: Made in solid material obtained by joining EVA and RUBBER, having variable thickness: 5 mm at the front and 10 mm in the heel area. Antistatic.

LINING: In polyester, with high draining power due to the high absorbing properties of the fabric and structure.

Lined up to the ankle with dirt-repellent PU fabric.

Reflex detail on the back.

Main features:

- Extra wide fit
- -Ideal for environments in presence of hydrocarbons and chemical substances
- -The characteristics of the bicomponent sole favour cushioning and avoid shocks.
- -The nitrile rubber tread is resistant to hydrocarbons as well as slip resistant onwet surfaces.
- Inserts with greater density and hardness give the sole anti-twist features
- -High Durability Cap System: high durability TPU tip system
- Suitable for gravelly, rocky or irregular environments

The product has been designed and manufactured to comply with Regulation (EU) 2016/425 and subsequent amendments.

-9		
Category	Colours	Available Sizes
II	BLACK	39 - 47
Quantity/Carton	EC Standards	Important Information
	EN ISO 20345	
5	Safety Class:S3 HRO SRC	
Dexterity		Storage and cleaning